

## CATALOG



### Parquet and Laminate



<b>DESCRIPTION</b>	More than 5,000m <sup>2</sup> parquet (multi-layer oak, Hungarian point and herringbone parquet), laminate floors and sub-floors.
<b>START</b>	7 january 2021 to 10:00
<b>END DATE</b>	17 january 2021 from 18:00
<b>VIEWING</b>	<ul style="list-style-type: none"><li>Sunday January 17 2021 from 12:00 until 17:00 BE-2500 LIER, HAGENBROEKSESTEENWEG 214 BUS C</li></ul>
<b>AUCTIM PARTNER</b>	<b>MOYERSOEN NV</b> Helststraat 47, 2630 Aartselaar, Belgium +32 3 827 21 31 - info.moyersoен@auctim.be BTW BE 0452.153.622
<b>DELIVERY</b>	<ul style="list-style-type: none"><li>Friday January 22 2021 from 10:00 until 16:00 BE-2500 LIER, HAGENBROEKSESTEENWEG 214 BUS C</li></ul>

**Online bidding only!**

Catalog created on 17 january 2021 to 05:03

	Lot	Description	Start price
	1	72m2 Oak multilayer Herringbone parquet floor, color: Natural, invisible oiled ready-to-use treated, very lightly brushed, suitable for underfloor heating, with V-groove, V.V. tongue and groove, size: 600x125x15 / 3mm:	50 €
	2	57,6m2 Oak multilayer Herringbone parquet floor, color: Natural, invisible oiled ready-to-use treated, very lightly brushed, suitable for underfloor heating, with V-groove, V.V. tongue and groove, size: 600x125x15 / 3mm:	50 €
	3	85.87m2 Oak multi-layer parquet floor, color: oil oxidative 862, lightly brushed, easy click, suitable for underfloor heating, matt oiled, dimensions, 2200x180x14mm	50 €
	4	78.54m2 Oak multi-layer parquet floor, color: brown smoke effect 681, lightly brushed, easy click, suitable for underfloor heating, matt oiled, dimensions, 2200x155x14mm	50 €
	5	92.16m2 Oak parquet floor, sand oak, light brushed, with tongue and groove, suitable for underfloor heating, with little knot, Dimensions (LxWxD) 1900x190x15mm 4mm top layer packs á 2.88m2,:	50 €
	6	84.32m2 oak multi-layer Hungarian point, with tongue and groove system, splinter free, sanded flat, untreated 610x90x15 / 3mm (LxWxD)	50 €
	7	101,64m2 Oak parquet floor, matt oiled, light brushed, with tongue and groove, suitable for underfloor heating, with little knot, Dimensions (LxWxD) 2200x220x15mm 4mm top layer packs of 2,904m2 ,:	50 €


	8	83.3m2 Oak multi-layer parquet floor, color: matt lacquer brown coffee 254, light brushed, easy click, suitable for underfloor heating, matt oiled, dimensions, 2200x155x14mm	50 €
	9	40.46m2 Oak multi-layer parquet floor, color: matt lacquer Gray 315, lightly brushed, easy click, suitable for underfloor heating, matt oiled, dimensions, 2200x155x14mm	50 €
	10	86.4m2 Oak parquet floor, invisible oiled, light brushed, provided with tongue and groove, suitable for underfloor heating, with little knot, Dimensions (LxWxD) 1900x190x15mm 4mm top layer packs á 2.88m2,:	50 €
	11	83.3m2 Oak multi-layer parquet floor, color: smokked effect 542, lightly brushed, easy click, suitable for underfloor heating, matt oiled, dimensions, 2200x155x14mm	50 €
	12	47.09m2 Oak multi-layer parquet floor, color: matt lacquer 159, light brushed, easy click, suitable for underfloor heating, matt oiled, dimensions, 2200x180x14mm	50 €
	13	95.83m2 Oak parquet floor, matt oiled, light brushed, provided with tongue and groove, suitable for underfloor heating with little knot, Dimensions (LxWxD) 2200x220x15mm 4mm top layer packs of 2.904m2 ,:	50 €
	14	83,62m2 Oak multi-layer parquet floor, color: matt lacquer 448, lightly brushed, easy click, suitable for underfloor heating, matt oiled, dimensions, 1800x180x14mm	50 €

	15	79.2m <sup>2</sup> oak multi-layer parquet floor, color: light gray matt 924, dimensions: 2000x138x14 (LxWxD), ready-to-use, invisible oiled, suitable for underfloor heating, easy click	50 €
	16	92.92m <sup>2</sup> Oak parquet floor, invisible oiled, light brushed, provided with tongue and groove, suitable for underfloor heating, with little knot, Dimensions (LxWxD) 2200x220x15mm 4mm top layer packs of 2.904m <sup>2</sup> ,:	50 €
	17	101,64m <sup>2</sup> Oak multilayer parquet floor, color: harper, ready-treated matt oiled, slightly smoked and brushed, suitable for underfloor heating, with V-groove, V.V. easy click system, size: 2200x220x15mm:	50 €
	18	58.08m <sup>2</sup> oak solid Hungarian point, with tongue and groove system, splinter free, sanded flat, untreated 720x140x16mm (LxWxD)	50 €
	19	67m <sup>2</sup> oak solid Hungarian point, with tongue and groove system, splinter free, sanded flat, untreated 720x140x16mm (LxWxD)	50 €
	20	90.4m <sup>2</sup> Oak multi-layer parquet floor, color: matt lacquer 431, slightly brushed, easy click, suitable for underfloor heating, matt oiled, dimensions, 1800x180x14mm	50 €
	21	110.8m <sup>2</sup> Oak multi-layer parquet floor, color: country 581, light brushed, easy click, suitable for underfloor heating, matt oiled, dimensions, 2200x180x14mm	50 €

	22	127.2 m <sup>2</sup> oak multi-layer parquet floor, color: rustic brush, size: 1970x180x14mm (LxWxD), ready-to-use, mat oiled, suitable for underfloor heating, with V-groove, tongue and groove	50 €
	23	103m <sup>2</sup> Oak multilayer parquet floor, color: mattlack gray, 5G click system, smoked, ready-treated, suitable for underfloor heating, dimensions. 1860x127x13mm	50 €
	24	68m <sup>2</sup> oak multilayer parquet floor, color: oak plank 316, dimensions: 2420x187x15mm (LxWxD), ready-to-use, matt oiled, suitable for underfloor heating, with V-groove, easy click	50 €
	25	72,6m <sup>2</sup> Oak multilayer parquet floor, color: chalet, ready-to-use matt oiled, lightly smoked and brushed, suitable for underfloor heating, with V-groove, V.V. easy click system, size: 2200x220x15mm:	50 €
	26	114.24m <sup>2</sup> Oak multi-layer parquet floor, color: brown smoked 681, lightly brushed, easy click, suitable for underfloor heating, matt oiled, dimensions, 2200x155x14mm	50 €
	27	87.12m <sup>2</sup> Oak parquet floor, invisible oiled, light brushed, with tongue and groove, suitable for underfloor heating, with little knot, Dimensions (LxWxD) 2200x220x15mm	50 €
	28	72.6m <sup>2</sup> Oak parquet floor, matt oiled, light brushed, with tongue and groove, suitable for underfloor heating with little knot, Dimensions (LxWxD) 2200x220x15mm	50 €

	29	96.95m <sup>2</sup> Oak multi-layer parquet floor, color: smoked effect 093, lightly brushed, tongue and groove, suitable for underfloor heating, matt oiled, dimensions, 2200x180x14mm	50 €
	30	55.4m <sup>2</sup> Oak multi-layer parquet floor, color: cream 676, slightly brushed, easy click, suitable for underfloor heating, matt oiled, dimensions, 2200x180x14mm	50 €
	31	79.2m <sup>2</sup> oak multi-layer parquet floor, color: light gray matt 924, dimensions: 2000x138x14 (LxWxD), ready-to-use, invisible oiled, suitable for underfloor heating, easy click	51 €
	32	110.8m <sup>2</sup> Oak multi-layer parquet floor, color: country 581, light brushed, easy click, suitable for underfloor heating, matt oiled, dimensions, 2200x180x14mm	52 €
	33	33.02m <sup>2</sup> oak multi-layer parquet floor, color: rustic white 240-1, dimensions: 2266x187x15mm (LxWxD), ready-to-use treated matt oiled, suitable for underfloor heating, with V-groove, easy click	50 €
	34	85.8m <sup>2</sup> Untreated pine wood, tongue and groove system, dimensions: 2000x195x21mm	50 €
	35	22.4m <sup>2</sup> oak multi-layer parquet floor, color: light natural 731-1, dimensions: 2000x187x15mm (LxWxD), ready-to-use, treated matt oiled, suitable for underfloor heating, with V-groove, easy click	50 €

	36	26.18m <sup>2</sup> Oak multi-layer parquet floor, color: matt lacquer 535, lightly brushed, easy click, suitable for underfloor heating, matt oiled, dimensions, 2200x155x14mm	50 €
	37	24.48 m <sup>2</sup> oak multi-layer parquet floor, color: gray matt 100, dimensions: 2420x187x15mm (LxWxD), ready-to-use treated matt oiled, suitable for underfloor heating, with V-groove, easy click	50 €
	38	31,64m <sup>2</sup> Oak multi-layer parquet floor, color: country 455, lightly brushed, easy click, suitable for underfloor heating, matt oiled, dimensions, 1800x180x14mm	50 €
	39	27,12m <sup>2</sup> Oak multi-layer parquet floor, color: vintage white oil oxidative 085, lightly brushed, easy click, suitable for underfloor heating, matt oiled, dimensions, 1800x180x14mm	50 €
	40	11.3m <sup>2</sup> Oak multi-layer parquet floor, color: matt lacquer 301, lightly brushed, easy click, suitable for underfloor heating, matt oiled, dimensions, 1800x180x14mm	50 €
	41	105m <sup>2</sup> laminate floor 8 mm, color sorento, dimensions 1380x159x8 mm (lxWxD), ac 32 class, 4 x v groove, click system,	50 €
	42	105m <sup>2</sup> laminate floor 8 mm, color toskana, dimensions 1380x159x8 mm (lxWxD), ac 32 class, 4 x v groove, click system	50 €

	43	105m <sup>2</sup> XL laminate floor 8 mm, color toscana, dimensions 1380x246x8 mm (lxWxD), ac 32 class, 4 x v groove, click system	50 €
	44	105m <sup>2</sup> XL laminate floor 8 mm, color sorento, dimensions 1380x246x8 mm (lxWxD), ac 32 class, 4 x v groove, click system	50 €
	45	105m <sup>2</sup> XL laminate floor 8 mm, color minori, dimensions 1380x246x8 mm (lxWxD), ac 32 class, 4 x v groove, click system	50 €
	46	105m <sup>2</sup> XL laminate floor 8 mm, color: palermo, dimensions 1380x246x8 mm (lxWxD), ac 32 class, 4 x v groove, click system	50 €
	47	81m <sup>2</sup> AGT effect premium laminate, Pamir, click system, V-groove, anti-scratch, anti-slip, suitable for underfloor heating. AC5-33 class. Dimensions: 1195x189x12mm (LxWxD)	50 €
	48	81m <sup>2</sup> AGT effect premium laminate, Tibet, click system, groove, anti-scratch, anti-slip, suitable for underfloor heating. AC5-33 class. Dimensions: 1195x189x12mm (LxWxD)	50 €
	49	81m <sup>2</sup> AGT effect premium laminate, Logan, click system, V-groove, anti-scratch, anti-slip, suitable for underfloor heating. AC5-33 class. Dimensions: 1195x189x12mm (LxWxD)	50 €

	50	81m <sup>2</sup> AGT effect premium laminate, Elbruz, click system, V-groove, anti-scratch, anti-slip, suitable for underfloor heating. AC5-33 class. Dimensions: 1195x189x12mm (LxWxD)	50 €
	51	81m <sup>2</sup> AGT effect premium laminate, Nirvana, click system, V-groove, anti-scratch, anti-slip, suitable for underfloor heating. AC5-33 class. Dimensions: 1195x189x12mm (LxWxD)	50 €
	52	103m <sup>2</sup> Peli laminate floor, color: Cenova, 4x V groove, very lightly brushed, size: 1290x240x8mm	50 €
	53	103m <sup>2</sup> Peli laminate floor, color: milano, 4x V groove, very lightly brushed, dimensions: 1290x240x8mm	50 €
	54	88m <sup>2</sup> sono flooring click composite PVC flooring, wood look, thickness: 4.5mm, anti-slip, 100% water resistant, groove, warm to the feet, maintenance-friendly, surface structure, dimensions, 1800x246x4.5mm, A +	50 €
	55	56m <sup>2</sup> sono flooring click composite PVC flooring, gray tile look, thickness: 4.5mm, anti-slip, 100% water resistant, groove, dimensions, 638x310x4.5mm, A +	50 €
	56	65m <sup>2</sup> Dry back Pvc floors, thickness: 3mm, brand: ikea markyta, color, stone pattern, dry back, moisture resistant, scratch and wear resistant, can be glued side by side, dimensions (LxWxD) 630x320x3mm	50 €

	57	58.02m2 Click composite PVC parquet, Color: ve48 Ruester, Wood-look, thickness: 4mm, anti-slip, 100% water-resistant, V-groove, maintenance-friendly, Wood-effect structure, dimensions, 1290x173x4mm, A +, 2.901m <sup>2</sup> per pack	50 €
	58	84m2 sono flooring click composite PVC flooring, color: mix color, thickness: 4.5mm, anti-slip, 100% water resistant, groove, dimensions, 1290x203x4.5mm, A +	50 €
	59	6 rolls of sound eliminator black, thickness: 2mm, sound-reducing, damp-proof, with overlap 100mm, slightly equalizing, suitable for underfloor heating, per roll: 15m <sup>2</sup> , total: 90m <sup>2</sup> .	50 €
	60	6 rolls of sound eliminator black, thickness: 2mm, sound-reducing, damp-proof, with overlap 100mm, slightly equalizing, suitable for underfloor heating, per roll: 15m <sup>2</sup> , total: 90m <sup>2</sup> .	50 €
	61	6 rolls of sound eliminator black, thickness: 2mm, sound-reducing, damp-proof, with overlap 100mm, slightly equalizing, suitable for underfloor heating, per roll: 15m <sup>2</sup> , total: 90m <sup>2</sup> .	50 €
	62	6 rolls of sound eliminator black, thickness: 2mm, sound-reducing, damp-proof, with overlap 100mm, slightly equalizing, suitable for underfloor heating, per roll: 15m <sup>2</sup> , total: 90m <sup>2</sup> .	50 €
	63	6 rolls of sound eliminator black, thickness: 2mm, sound-reducing, damp-proof, with overlap 100mm, slightly equalizing, suitable for underfloor heating, per roll: 15m <sup>2</sup> , total: 90m <sup>2</sup> .	50 €
	64	6 rolls of sound eliminator black, thickness: 2mm, sound-reducing, damp-proof, with overlap 100mm, slightly equalizing, suitable for underfloor heating, per roll: 15m <sup>2</sup> , total: 90m <sup>2</sup> .	50 €

	65	9 packs underlay, brand: comfort super, thickness: 5mm, per pack: 6m2, total approx .: 54m2, pressure resistant, 22db impact sound insulation, excellent heat insulation, leveling capacity.	50 €
	66	9 packs underlay, brand: comfort super, thickness: 5mm, per pack: 6m2, total approx .: 54m2, pressure resistant, 22db impact sound insulation, excellent heat insulation, leveling capacity.	50 €
	67	9 packs underlay, brand: comfort super, thickness: 5mm, per pack: 6m2, total approx .: 54m2, pressure resistant, 22db impact sound insulation, excellent heat insulation, leveling capacity.	50 €
	68	9 packs underlay, brand: comfort super, thickness: 5mm, per pack: 6m2, total approx .: 54m2, pressure resistant, 22db impact sound insulation, excellent heat insulation, leveling capacity.	50 €
	69	9 packs underlay, brand: comfort super, thickness: 5mm, per pack: 6m2, total approx .: 54m2, pressure resistant, 22db impact sound insulation, excellent heat insulation, leveling capacity.	50 €

