

**CATALOG**  
Parquet and Laminate



**DESCRIPTION**

More than 5,000m<sup>2</sup> parquet (multi-layer oak, Hungarian point and herringbone parquet), laminate floors and sub-floors.

**START**

25 february 2021 to 10:00

**END DATE**

8 march 2021 from 18:00

**VIEWING**

- Sunday March 07 2021 from 14:00 until 17:00  
BE-2500 LIER, HAGENBROEKSESTEENWEG 214 BUS C

**AUCTIM PARTNER**

**MOYERSOEN NV**


Helststraat 47, 2630 Aartselaar, Belgium  
+32 3 827 21 31 - info.moyersoен@auctim.be  
BTW BE 0452.153.622

**DELIVERY**

- Friday March 12 2021 from 10:00 until 16:00  
BE-2500 LIER, HAGENBROEKSESTEENWEG 214 BUS C

**Online bidding only!**

Catalog created on 8 march 2021 to 05:03

	Lot	Description	Start price
	1	72m2 Oak multilayer Herringbone parquet floor, color: Natural, invisible oiled ready-to-use treated, very lightly brushed, suitable for underfloor heating, with V-groove, V.V. tongue and groove, size: 600x125x15 / 3mm:	50 €
	2	112m2 oak multi-layer parquet floor, color: light natural 731-1, dimensions: 2000x187x15mm (LxWxD), ready-to-use treated matt oiled, suitable for underfloor heating, very lightly smoked, with V-groove, easy click	50 €
	3	110.8m2 Oak multi-layer parquet floor, color: country 581, light brushed, easy click, suitable for underfloor heating, matt oiled, dimensions, 2200x180x14mm	50 €
	4	81m2 Oak parquet floor, invisible oiled, light brushed, provided with tongue and groove, suitable for underfloor heating, with little knot, Dimensions (LxWxD) 2200x220x15mm 4mm top layer packs of 2,904m2 ,:	50 €
	5	136m2 oak multi-layer parquet floor, color: heavy gray 169-4, dimensions: 2420x187x15mm (LxWxD), ready-to-use, matt oiled, suitable for underfloor heating, with V-groove, easy click	50 €
	6	90.4m2 Oak multi-layer parquet floor, color: light smoked effect 035, slightly brushed, easy click, suitable for underfloor heating, matt oiled, dimensions, 1800x180x14mm	50 €
	7	75m2 Oak parquet floor, matt oiled, light brushed, with tongue and groove, suitable for underfloor heating, with little knot, Dimensions (LxWxD) 2200x220x15mm 4mm top layer packs of 2,904m2 ,:	50 €


	8	90.4m <sup>2</sup> Oak multilayer parquet floor, color: cream 448, slightly brushed, easy click, suitable for underfloor heating, matt oiled, dimensions, 1800x180x14mm	50 €
	9	93,6m <sup>2</sup> Oak multi-layer parquet floor, color: graphite 683, lightly brushed, easy click, suitable for underfloor heating, matt oiled, dimensions, 1800x155x14mm	50 €
	10	86.4m <sup>2</sup> Oak parquet floor, invisible oiled, light brushed, provided with tongue and groove, suitable for underfloor heating, with little knot, Dimensions (LxWxD) 1900x190x15mm 4mm top layer packs á 2.88m <sup>2</sup> ,:	50 €
	11	90.4m <sup>2</sup> Oak multi-layer parquet floor, color: matt white lacquer 591, slightly brushed, easy click, suitable for underfloor heating, matt oiled, dimensions, 1800x180x14mm	50 €
	12	64m <sup>2</sup> oak hungarian point, provided with tongue and groove system, splinter free, sanded flat, untreated size: 575x128x14mm (LxWxD) top layer 3mm	50 €
	13	64m <sup>2</sup> oak hungarian point, provided with tongue and groove system, splinter free, sanded flat, untreated size: 575x128x14mm (LxWxD) top layer 3mm	50 €
	14	103m <sup>2</sup> Oak multilayer parquet floor, color: mattleack gray, 5G click system, smoked, ready-treated, suitable for underfloor heating, dimensions. 1860x127x13mm	50 €


	15	154m <sup>2</sup> oak multi-layer parquet floor, color: country white 235, dimensions: 2390x180x14mm (LxWxD), ready-treated matt oiled, suitable for underfloor heating, with V-groove, tongue and groove.	50 €
	16	92.92m <sup>2</sup> Oak parquet floor, invisible oiled, light brushed, provided with tongue and groove, suitable for underfloor heating, with little knot, Dimensions (LxWxD) 2200x220x15mm 4mm top layer packs of 2.904m <sup>2</sup> ,:	50 €
	17	127m <sup>2</sup> oak multi-layer parquet floor, color: rustic brush 186, size: 1970x180x14mm (LxWxD), ready-to-use, matt oiled, suitable for underfloor heating, with V-groove, tongue and groove.	50 €
	18	58.08m <sup>2</sup> oak solid Hungarian point, with tongue and groove system, splinter free, sanded flat, untreated 720x140x16mm (LxWxD)	50 €
	19	67m <sup>2</sup> oak solid Hungarian point, with tongue and groove system, splinter free, sanded flat, untreated 720x140x16mm (LxWxD)	50 €
	20	90.4m <sup>2</sup> Oak multi-layer parquet floor, color: gray 486, lightly brushed, easy click, suitable for underfloor heating, matt oiled, dimensions, 1800x180x14mm	50 €
	21	136m <sup>2</sup> oak multi-layer parquet floor, color: rustic white 160-1, dimensions: 2420x187x15mm (LxWxD), ready-to-use, matt oiled, suitable for underfloor heating, with V-groove, easy click	50 €

	22	136m2 oak multilayer parquet floor, color: country 254-2, dimensions: 2420x187x15mm (LxWxD), ready-to-use, matt oiled, suitable for underfloor heating, with V-groove, easy click	50 €
	23	57m2 oak multi-layer parquet floor, color: rustic light 285-5, size: 2420x187x15mm (LxWxD), ready-to-use, matt oiled, suitable for underfloor heating, with V-groove, easy click	50 €
	24	90.4m2 Oak multi-layer parquet floor, color: matt lacquer 301, slightly brushed, easy click, suitable for underfloor heating, matt oiled, dimensions, 1800x180x14mm	50 €
	25	112m2 oak multi-layer parquet floor, color: rustic white 240-1, dimensions: 2000x188x14mm (LxWxD), ready-to-use, matt oiled, suitable for underfloor heating, with V-groove, easy click	50 €
	26	40m2 oak multi-layer parquet floor, color: light natural 731-1, dimensions: 2000x187x15mm (LxWxD), ready-to-use matt oiled, suitable for underfloor heating, with V-groove, easy click	50 €
	27	48m2 oak multi-layer parquet floor, color: rustic white 160-1, dimensions: 2420x187x15mm (LxWxD), ready-to-use, matt oiled, suitable for underfloor heating, with V-groove, easy click	50 €
	28	60.39m2 Herringbone click PVC, color: magnum, slightly brushed, 0.55mm wear layer, 100% anti-slip, 100% waterproof, integrated underlay, super matt finish, dimensions: 610x150x5mm	50 €

	29	65.88m <sup>2</sup> Herringbone click PVC, color: mona, slightly brushed, 0.55mm wear layer, 100% anti-slip, 100% waterproof, integrated underlay, super matt finish, dimensions: 610x150x5mm	50 €
	30	68.07m <sup>2</sup> Herringbone click PVC, color: art, lightly brushed, 0.55mm wear layer, 100% anti-slip, 100% waterproof, integrated underlay, super matt finish, dimensions: 610x150x5mm	50 €
	31	76.86m <sup>2</sup> Herringbone click PVC, color: picasso, light brushed, 0.55mm wear layer, 100% anti-slip, 100% waterproof, integrated underlay, super matt finish, dimensions: 610x150x5mm	50 €
	32	105m <sup>2</sup> laminate floor 8 mm, color sorento, dimensions 1380x159x8 mm (lxWxD), ac 32 class, 4 x v groove, click system,	50 €
	33	105m <sup>2</sup> laminate floor 8 mm, color toskana, dimensions 1380x159x8 mm (lxWxD), ac 32 class, 4 x v groove, click system	50 €
	34	105m <sup>2</sup> XL laminate floor 8 mm, color toskana, dimensions 1380x246x8 mm (lxWxD), ac 32 class, 4 x v groove, click system	50 €
	35	105m <sup>2</sup> XL laminate floor 8 mm, color sorento, dimensions 1380x246x8 mm (lxWxD), ac 32 class, 4 x v groove, click system	50 €

	36	105m <sup>2</sup> XL laminate floor 8 mm, color minori, dimensions 1380x246x8 mm (lxWxD), ac 32 class, 4 x v groove, click system	50 €
	37	105m <sup>2</sup> XL laminate floor 8 mm, color: palermo, dimensions 1380x246x8 mm (lxWxD), ac 32 class, 4 x v groove, click system	50 €
	38	105m <sup>2</sup> XL laminate floor 8 mm, color: napoli, dimensions 1380x246x8 mm (lxWxD), ac 32 class, 4 x v groove, click system	50 €
	39	105m <sup>2</sup> XL laminate floor 8 mm, color: ravello, dimensions 1380x246x8 mm (lxWxD), ac 32 class, 4 x v groove, click system	50 €
	40	81m <sup>2</sup> AGT effect premium laminate, Tibet, click system, groove, anti-scratch, anti-slip, suitable for underfloor heating. AC5-33 class. Dimensions: 1195x189x12mm (LxWxD)	50 €
	41	81m <sup>2</sup> AGT effect premium laminate, Logan, click system, V-groove, anti-scratch, anti-slip, suitable for underfloor heating. AC5-33 class. Dimensions: 1195x189x12mm (LxWxD)	50 €
	42	81m <sup>2</sup> AGT effect premium laminate, Elbruz, click system, V-groove, anti-scratch, anti-slip, suitable for underfloor heating. AC5-33 class. Dimensions: 1195x189x12mm (LxWxD)	50 €

	43	81m2 AGT effect premium laminate, Nirvana, click system, V-groove, anti-scratch, anti-slip, suitable for underfloor heating. AC5-33 class. Dimensions: 1195x189x12mm (LxWxD)	50 €
	44	103m2 Peli laminate floor, color: Cenova, 4x V groove, very lightly brushed, dimensions: 1290x240x8mm	50 €
	45	103m2 Peli laminate floor, color: milano, 4x V groove, very light brushed, size: 1290x240x8mm	50 €
	46	117m2 neo flooring click composite PVC flooring, black / white, thickness: 4.5mm, anti-slip, 100 water resistant, v groove, dimensions, 1290x173x4.5mm	50 €
	47	98m2 neo flooring click composite PVC flooring, black / white, thickness: 4.0mm, anti-slip, 100 water resistant, v groove, dimensions, 1290x173x4.0mm	50 €
	48	52m2 sono flooring click composite PVC floors, gray tile look, thickness: 4.5mm, anti-slip, 100% water resistant, groove, dimensions, 638x310x4.5mm, A +	50 €
	49	58m2 neo flooring click composite PVC flooring, black / white, thickness: 4.5mm, anti-slip, 100 water resistant, v groove, dimensions, 1290x173x4.5mm	50 €

	50	78m2 sono flooring click composite PVC floors, gray tile look, thickness: 4.5mm, anti-slip, 100% water resistant, groove, dimensions, 621x310x4.5mm, A +	50 €
	51	6 rolls of sound eliminator black, thickness: 2mm, sound-reducing, damp-proof, with overlap 100mm, slightly equalizing, suitable for underfloor heating, per roll: 15m2, total: 90m2.	50 €
	52	6 rolls of sound eliminator black, thickness: 2mm, sound-reducing, damp-proof, with overlap 100mm, slightly equalizing, suitable for underfloor heating, per roll: 15m2, total: 90m2.	50 €
	53	6 rolls of sound eliminator black, thickness: 2mm, sound-reducing, damp-proof, with overlap 100mm, slightly equalizing, suitable for underfloor heating, per roll: 15m2, total: 90m2.	50 €
	54	6 rolls of sound eliminator black, thickness: 2mm, sound-reducing, damp-proof, with overlap 100mm, slightly equalizing, suitable for underfloor heating, per roll: 15m2, total: 90m2.	50 €
	55	6 rolls of sound eliminator black, thickness: 2mm, sound-reducing, damp-proof, with overlap 100mm, slightly equalizing, suitable for underfloor heating, per roll: 15m2, total: 90m2.	50 €
	56	6 rolls of sound eliminator black, thickness: 2mm, sound-reducing, damp-proof, with overlap 100mm, slightly equalizing, suitable for underfloor heating, per roll: 15m2, total: 90m2.	50 €

	57	9 packs of subfloor, brand: comfort super, thickness: 5mm, per pack: 6m2, total approx .: 54m2, pressure resistant, 22db impact sound insulation, excellent heat insulation, leveling capacity.	50 €
	58	9 packs of subfloor, brand: comfort super, thickness: 5mm, per pack: 6m2, total approx .: 54m2, pressure resistant, 22db impact sound insulation, excellent heat insulation, leveling capacity.	50 €
	59	9 packs of subfloor, brand: comfort super, thickness: 5mm, per pack: 6m2, total approx .: 54m2, pressure resistant, 22db impact sound insulation, excellent heat insulation, leveling capacity.	50 €
	60	9 packs of subfloor, brand: comfort super, thickness: 5mm, per pack: 6m2, total approx .: 54m2, pressure resistant, 22db impact sound insulation, excellent heat insulation, leveling capacity.	50 €
	61	9 packs of subfloor, brand: comfort super, thickness: 5mm, per pack: 6m2, total approx .: 54m2, pressure resistant, 22db impact sound insulation, excellent heat insulation, leveling capacity.	50 €

