

CATALOG
Parquet and Laminate



DESCRIPTION	More than 5,000m ² parquet (multi-layer oak, Hungarian point and herringbone parquet), laminate floors and subfloors.
START	1 april 2021 to 10:00
END DATE	11 april 2021 from 19:00
VIEWING	<ul style="list-style-type: none">Sunday April 11 2021 from 14:00 until 17:00 BE-2500 LIER, HAGENBROEKSESTEENWEG 214 BUS C
AUCTIM PARTNER	MOYERSOEN NV Helststraat 47, 2630 Aartselaar, Belgium +32 3 827 21 31 - info.moyersoen@auctim.be BTW BE 0452.153.622
DELIVERY	<ul style="list-style-type: none">Friday April 16 2021 from 10:00 until 17:00 BE-2500 LIER, HAGENBROEKSESTEENWEG 214 BUS C

Online bidding only!

Catalog created on 11 april 2021 to 06:00

	Lot	Description	Start price
	1	96m2 solid herringbone parquet, untreated, knot and splinter free, tongue and groove system, to be glued, dimensions 30x5 CM thickness 1.6cm	50 €
	2	98m2 solid herringbone parquet, untreated, knot and splinter free, tongue and groove system, to be glued, dimensions 35x5 CM thickness 1.6cm	50 €
	3	110m2 Oak multi-layer parquet floor, color: matt lacquer 079, lightly brushed, easy click, suitable for underfloor heating, matt oiled, dimensions, 2200x180x14mm	50 €
	4	110m2 Oak multi-layer parquet floor, color: matt lacquer 257, lightly brushed, easy click, suitable for underfloor heating, matt oiled, dimensions, 2200x180x14mm	50 €
	5	103m2 Oak multi-layer parquet floor, color: mattlack gray, 5G click system, smoked, ready-treated, suitable for underfloor heating, dimensions. 1860x127x13mm	50 €
	6	74m2 Oak multi-layer parquet floor, color: matt lacquer 301, lightly brushed, easy click, suitable for underfloor heating, matt oiled, dimensions, 1800x180x14mm	50 €

	7	67m ² oak solid Hungarian point, with tongue and groove system, splinter free, sanded flat, untreated 720x140x16mm (LxWxD)	50 €
	8	67.76m ² oak solid Hungarian point, with tongue and groove system, splinter free, sanded flat, untreated 720x140x16mm (LxWxD)	50 €
	9	96m ² oak multi-layer parquet floor, color: rustic brush 186, size: 1970x180x13mm (LxWxD), ready-to-use matt oiled treatment, suitable for underfloor heating, with V-groove, tongue and groove.	50 €
	10	116m ² Ash multilayer parquet floor, color: coffee piccolo, dimensions: 13mm thick, 180mm wide and different lengths (LxWxD), ready-treated matt oiled, suitable for underfloor heating, with V-groove, tongue and groove.	50 €
	11	72m ² solid herringbone parquet, untreated, knot and splinter free, tongue and groove system, to be glued, dimensions 50x4 CM thickness 1.6cm	50 €
	12	144m ² oak multilayer parquet floor, color: rustic brush 186, size: 2240x180x14mm (LxWxD), ready-to-use, mat oiled, suitable for underfloor heating, with V-groove, tongue and groove.	50 €
	13	113,6m ² veneer parquet floor, thickness: 7mm, color: oak 3S lac 2, click system, ready to use, suitable for underfloor heating, dimensions: 1225x193x7mm	50 €

	14	73.84m ² veneer parquet floor, thickness: 7mm, color: oak 2S white matt, click system, ready to use, suitable for underfloor heating, dimensions: 1225x193x7mm	50 €
	15	41.76m ² veneer parquet floor, thickness: 7mm, color: oak pl red, click system, ready to use, suitable for underfloor heating, dimensions: 1225x118x7mm	50 €
	16	71.34m ² veneer parquet floor, thickness: 7mm, color: oak pl jatoba, click system, ready to use, suitable for underfloor heating, dimensions: 1225x118x7mm	50 €
	17	26m ² veneer parquet floor, thickness: 7mm, color: oak 1S black matt lac 2, click system, ready to use, suitable for underfloor heating, dimensions: 1225x118x7mm	50 €
	18	31m ² oak multilayer parquet floor, color: country white 235, dimensions: 2390x170x14mm (LxWxD), ready-to-use treated matt oiled, suitable for underfloor heating, with V-groove, tongue and groove.	50 €
	19	37.91m ² oak multilayer parquet floor, color: rustic brush 186, dimensions: different lengthsx170x14mm (LxWxD), ready-to-use treated matt oiled, suitable for underfloor heating, with V-groove, tongue and groove.	50 €
	20	44.46m ² oak multi-layer parquet floor, color: country white 235, dimensions: various lengthsx180x14mm (LxWxD), ready-to-use treated matt oiled, suitable for underfloor heating, with V-groove, tongue and groove.	50 €

	21	44.32m2 Oak multi-layer parquet floor, color: matt lacquer 802, lightly brushed, easy click, suitable for underfloor heating, matt oiled, dimensions, 2200x180x14 "	50 €
	22	64m2 oak hungarian point, equipped with tongue and groove system, splinter free, sanded flat, untreated size: 575x128x14mm (LxWxD) top layer 3mm	50 €
	23	64m2 oak hungarian point, equipped with tongue and groove system, splinter free, sanded flat, untreated size: 575x128x14mm (LxWxD) top layer 3mm	50 €
	24	134.4 m2 oak multi-layer parquet floor, color: rustic light 285-4, dimensions: 2000x187x15mm (LxWxD), ready-to-use, treated matt oiled, suitable for underfloor heating, with V-groove, easy click system	50 €
	25	112m2 oak multilayer parquet floor, color: gray matt 281-2, dimensions: 2000x187x14mm (LxWxD), ready-to-use treated matt oiled, suitable for underfloor heating, with V-groove, easy click system	50 €
	26	136m2 oak multilayer parquet floor, color: heavy 818, dimensions: 2420x187x15mm (LxWxD), ready-to-use treated matt oiled, suitable for underfloor heating, with V-groove, easy click system, smoked and brushed.	50 €
	27	111.52m2 oak multi-layer parquet floor, color: country 254-2, dimensions: 2420x187x15mm (LxWxD), ready-to-use treated matt oiled, suitable for underfloor heating, with V-groove, easy click system, very lightly smoked and brushed	50 €

	28	47.04m2 oak multilayer parquet floor, color: rustic white 240-2, dimensions: 2000x188x15mm (LxWxD), ready-to-use matt oiled, suitable for underfloor heating, with V-groove, easy click system	50 €
	29	89.6m2 oak multi-layer parquet floor, color: gray matt 281-4, dimensions: 2000x187x15mm (LxWxD), ready-to-use treated matt oiled, suitable for underfloor heating, with V-groove, easy click system	50 €
	30	78.4 m2 oak multi-layer parquet floor, color: light natural 731-1, dimensions: 2000x187x15mm (LxWxD), ready-to-use treated matt oiled, suitable for underfloor heating, with V-groove, easy click system	50 €
	31	131.4m2 oak multilayer parquet floor, color: rustic white 302-1, dimensions: 2420x151x15mm (LxWxD), ready-to-use treated matt oiled, suitable for underfloor heating, with V-groove, easy click system	50 €
	32	44.8m2 oak multilayer parquet floor, color: heavy rustic 824-1, dimensions: 2000x187x14mm (LxWxD), ready-to-use treated matt oiled, suitable for underfloor heating, with V-groove, easy click system	50 €
	33	54.3 m2 oak multi-layer parquet floor, color: rustic white 302-3, dimensions: 2000x151x15mm (LxWxD), ready-to-use, treated matt oiled, suitable for underfloor heating, with V-groove, easy click system	50 €
	34	122.4m2 oak multilayer parquet floor, color: country 254.3, dimensions: 2420x187x15mm (LxWxD), ready-to-use treated matt oiled, suitable for underfloor heating, with V-groove, easy click system	50 €

	35	39.42 m ² oak multi-layer parquet floor, color: rustic 834, dimensions: 2420x151x15mm (LxWxD), ready-to-use, treated matt oiled, suitable for underfloor heating, with V-groove, easy click system	50 €
	36	60.39m ² Herringbone click PVC, color: magnum, slightly brushed, 0.55mm wear layer, 100% anti-slip, 100% waterproof, integrated underlay, super matt finish, size: 610x150x5mm	50 €
	37	65.88m ² Herringbone click PVC, color: mona, lightly brushed, 0.55mm wear layer, 100% anti-slip, 100% waterproof, integrated underlay, super matt finish, size: 610x150x5mm	50 €
	38	49.41m ² Herringbone click PVC, color: art, lightly brushed, 0.55mm wear layer, 100% anti-slip, 100% waterproof, integrated underlay, super matt finish, size: 610x150x5mm	50 €
	39	43.92m ² Herringbone click PVC, color: picasso, lightly brushed, 0.55mm wear layer, 100% anti-slip, 100% waterproof, integrated underlay, super matt finish, dimensions: 610x150x5mm	50 €
	40	105m ² laminate floor 8 mm, color sorento slim, dimensions 1380x159x8 mm (lxWxD), ac 32 class, 4 x v groove, click system,	50 €
	41	105m ² laminate floor 8 mm, color toskana slim, dimensions 1380x159x8 mm (lxWxD), ac 32 class, 4 x v groove, click system	50 €

	42	105m ² XL laminate floor 8 mm, color toscana, dimensions 1380x246x8 mm (lxWxD), ac 32 class, 4 x v groove, click system	50 €
	43	105m ² XL laminate floor 8 mm, color sorento, dimensions 1380x246x8 mm (lxWxD), ac 32 class, 4 x v groove, click system	50 €
	44	105m ² XL laminate floor 8 mm, color minori, dimensions 1380x246x8 mm (lxWxD), ac 32 class, 4 x v groove, click system	50 €
	45	105m ² XL laminate floor 8 mm, color: palermo, dimensions 1380x246x8 mm (lxWxD), ac 32 class, 4 x v groove, click system	50 €
	46	105m ² XL laminate floor 8 mm, color: napoli, dimensions 1380x246x8 mm (lxWxD), ac 32 class, 4 x v groove, click system	50 €
	47	105m ² XL laminate floor 8 mm, color: ravello, dimensions 1380x246x8 mm (lxWxD), ac 32 class, 4 x v groove, click system	50 €
	48	81m ² AGT effect premium laminate, Toros, click system, V-groove, anti-scratch, anti-slip, suitable for underfloor heating. AC5-33 class. Dimensions: 1195x189x12mm (LxWxD)	50 €

	49	81m2 AGT effect premium laminate, Logan, click system, V-groove, anti-scratch, anti-slip, suitable for underfloor heating. AC5-33 class. Dimensions: 1195x189x12mm (LxWxD)	50 €
	50	81m2 AGT effect premium laminate, Elbruz, click system, V-groove, anti-scratch, anti-slip, suitable for underfloor heating. AC5-33 class. Dimensions: 1195x189x12mm (LxWxD)	50 €
	51	81m2 AGT effect premium laminate, Nirvana, click system, V-groove, anti-scratch, anti-slip, suitable for underfloor heating. AC5-33 class. Dimensions: 1195x189x12mm (LxWxD)	50 €
	52	81m2 AGT effect premium laminate, Pamir, click system, V-groove, anti-scratch, anti-slip, suitable for underfloor heating. AC5-33 class. Dimensions: 1195x189x12mm (LxWxD)	50 €
	53	81m2 AGT effect premium laminate, Alp, click system, V-groove, anti-scratch, anti-slip, suitable for underfloor heating. AC5-33 class. Dimensions: 1195x189x12mm (LxWxD)	50 €
	54	81m2 AGT effect premium laminate, Altay, click system, V-groove, anti-scratch, anti-slip, suitable for underfloor heating. AC5-33 class. Dimensions: 1195x189x12mm (LxWxD)	50 €
	55	81m2 AGT effect premium laminate, Fuji, click system, V-groove, anti-scratch, anti-slip, suitable for underfloor heating. AC5-33 class. Dimensions: 1195x189x12mm (LxWxD)	50 €

	56	81m2 AGT effect premium laminate, Ural, click system, V-groove, anti-scratch, anti-slip, suitable for underfloor heating. AC5-33 class. Dimensions: 1195x189x12mm (LxWxD)	50 €
	57	81m2 AGT effect premium laminate, Solaro, click system, V-groove, anti-scratch, anti-slip, suitable for underfloor heating. AC5-33 class. Dimensions: 1195x189x12mm (LxWxD)	50 €
	58	81m2 AGT effect premium laminate, Everest, click system, V-groove, anti-scratch, anti-slip, suitable for underfloor heating. AC5-33 class. Dimensions: 1195x189x12mm (LxWxD)	50 €
	59	103m2 Peli laminate floor, color: Cenova, 4x V groove, very light brushed, size: 1290x240x8mm	50 €
	60	103m2 Peli laminate floor, color: milano, 4x V groove, very light brushed, size: 1290x240x8mm	50 €
	61	6 rolls of sound eliminator black, thickness: 2mm, sound-reducing, damp-proof, with overlap 100mm, slightly equalizing, suitable for underfloor heating, per roll: 15m2, total: 90m2.	50 €
	62	6 rolls of sound eliminator black, thickness: 2mm, sound-reducing, damp-proof, with overlap 100mm, slightly equalizing, suitable for underfloor heating, per roll: 15m2, total: 90m2.	50 €

	63	6 rolls of sound eliminator black, thickness: 2mm, sound-reducing, damp-proof, with overlap 100mm, slightly equalizing, suitable for underfloor heating, per roll: 15m ² , total: 90m ² .	50 €
	64	6 rolls of sound eliminator black, thickness: 2mm, sound-reducing, damp-proof, with overlap 100mm, slightly equalizing, suitable for underfloor heating, per roll: 15m ² , total: 90m ² .	50 €
	65	9 packs of subfloor, brand: comfort super, thickness: 5mm, per pack: 6m ² , total approx .: 54m ² , pressure resistant, 22db impact sound insulation, excellent heat insulation, leveling capacity.	50 €
	66	9 packs of subfloor, brand: comfort super, thickness: 5mm, per pack: 6m ² , total approx .: 54m ² , pressure resistant, 22db impact sound insulation, excellent heat insulation, leveling capacity.	50 €
	67	9 packs of subfloor, brand: comfort super, thickness: 5mm, per pack: 6m ² , total approx .: 54m ² , pressure resistant, 22db impact sound insulation, excellent heat insulation, leveling capacity.	50 €

